




How to Hide-Away Toolbar Buttons in Visual Paradigm?


Written Date : October 28, 2009

To customize Visual Paradigm:


1. Select **Help > Customize UI** from the application toolbar.



The **Customize UI** window will be shown.



- The features are grouped based on their nature and location. For example, features named as **Toolbar/ORM/Reverse Database** mean this feature is under the **ORM** group in the **Toolbar**. While **Toolbar** means the toolbar displayed under the Classic User Interface, **Sleek Toolbar** means the toolbar displayed under [Sleek UI](#). If you want to disable a feature completely, make sure all menus and toolbars are hidden. Now, select the feature that you want to hide, and click the **>** button to move them to the **Hide** list.



- Once you have finished selecting the features to hide, click **OK** to confirm. Restart Visual Paradigm for the changes to take effect.
- An XML file, `vpucustomization.xml`, that stores the customized settings can be found at the following places:

Platform	Location
MS Windows	%userprofile%\AppData\Roaming\VisualParadigm\vpucustomization.xml
Linux	~/config/VisualParadigm/vpucustomization.xml
Mac	~/Library/Application Support/VisualParadigm/vpucustomization.xml

You can then share this file with your colleagues for them to apply the customization.

Related Links

- [Full set of UML tools and UML diagrams](#)



[Visual Paradigm home page](https://s.visual-paradigm.com/)
(<https://s.visual-paradigm.com/>)

[Visual Paradigm tutorials](https://s.visual-paradigm.com/tutorials/)
(<https://s.visual-paradigm.com/tutorials/>)